

Materiaallijst pannendak	SUNKIT 3	SUNKIT 6	SUNKIT 6	SUNKIT 8	SUNKIT 8	SUNKIT 9	SUNKIT 9	SUNKIT 10	SUNKIT 10	SUNKIT 12	SUNKIT 12	SUNKIT 12
opstelling portrait	1x3	1x6	2x3	1x8	2x4	1x9	3x3	1x10	2x5	1x12	2x6	3x4
<b>Paneel</b>												
Suntech STP 190		6	6	8	8	9	9	10	10	12	12	12
Suntech STP 200												
Suntech STP 210	3											
<b>Omvormer</b>												
Mastervolt Soladin 600	1	2	2									
Mastervolt XS 2000 SW				1	1	1	1					
Mastervolt XS 3200 SW								1	1	1	1	1
Mastervolt XS 4300 SW												
<b>Draagconstructie</b>												
Verduurzaamd Houten Panlat 30x90x3600	2	4	4	4	4	5	6	6	6	7	8	6
Dakhaak A, regulier	12	18	18	24	24	27	27	30	30	36	36	36
Aluminium Solarrail lengte 6200 mm		2		2		2		2		4	4	
Op maat gezaagd -0 + 5 mm	2 x 3076		4 x 3076	2 x 1936	4 x 4088	2 x 2948	6 x 3076	2 x 3960	4 x 5100			6 x 4088
Railkoppelstuk				2		2				2		
Eindklem module <b>35</b> mm	4	4	8	4	8	4	12	4	8	4	8	12
Tussenklem	4	10	8	14	12	16	12	18	16	22	20	18
M8 cilinderkop set	10	16	18	20	22	22	26	24	26	28	30	32
M10 tapbout set	14	20	20	30	26	33	29	32	32	42	38	38
5x30 VK spaanpl.schr. NO 1050 EVZ	24	36	36	48	48	54	54	60	60	72	72	72
5x60 VK spaanpl.schr. NO 1050 EVZ	32	64	64	64	64	80	96	96	96	112	128	96
<b>Kabel en koppelstukken</b>												
DC-kabel (ca 15m. per kabel)	2	2	2	2	2	2	2	2	2	2	2	2
MC4 Male connector	2	2	2	2	2	2	2	2	2	2	2	2
MC4 Female connector	2	2	2	2	2	2	2	2	2	2	2	2
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1	1	1

Materiaallijst platdak	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT
opstelling landscape	1x3	1x6	2x3	1x8	2x4	1x9	3x3	1x10	2x5	1x12	2x6	3x4
<b>Paneel</b>												
Suntech STP 190		6	6	8	8	9	9	10	10	12	12	12
Suntech STP 200												
Suntech STP 210	3											
<b>Omvormer</b>												
Mastervolt Soladin 600	1	2	2									
Mastervolt XS 2000 SW				1	1	1	1					
Mastervolt XS 3200 SW								1	1	1	1	1
Mastervolt XS 4300 SW												
<b>Draagconstructie</b>												
Lightbox 6" cells, 54 cells, 6x9 LB 34 UNI	3	6	6	8	8	9	9	10	10	12	12	12
M8 tapbout set	14	26	26	34	34	38	38	42	42	50	50	50
Tegel dragers 100 x 100 x 10	15	30	30	40	40	45	45	50	50	60	60	60
<b>Kabel en koppelstukken</b>												
DC-kabel (ca 15m. per kabel)	2	2	2	2	2	2	2	2	2	2	2	2
DC-kabel (ca 4m. per kabel)			1	1	1	2	2	1	1	1	2	2
MC4 Male kabelkoppelstuk	2	2	3	2	3	2	4	2	3	2	3	4
MC4 Female kabelkoppelstuk	2	2	3	2	3	2	4	2	3	2	3	4
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1	1	1

<b>Materiaallijst pannendak</b>	SUNKIT 12	SUNKIT 14	SUNKIT 14	SUNKIT 15	SUNKIT 15	SUNKIT 16	SUNKIT 16	SUNKIT 18	SUNKIT 18	SUNKIT 20	SUNKIT 20	SUNKIT 20
opstelling portrait	4x3	1x14	2x7	1x15	3x5	2x8	4x4	2x9	3x6	2x10	4x5	5x4
<b>Paneel</b>												
Suntech STP 190												
Suntech STP 200	12	14	14	15	15	16	16	18	18	20	20	20
Suntech STP 210												
<b>Omvormer</b>												
Mastervolt Soladin 600												
Mastervolt XS 2000 SW												
Mastervolt XS 3200 SW	1	1	1	1	1	1	1					
Mastervolt XS 4300 SW								1	1	1	1	1
<b>Draagconstructie</b>												
Verduurzaamd Houten Panlat 30x90x3600	8	8	8	9	9	8	8	10	12	12	12	10
Dakhaak A, regulier	36	42	42	45	45	48	48	54	54	60	60	60
Aluminium Solarrail lengte 6200 mm		4	4	4	4	4	4	4	6	4		
Op maat gezaagd -0 + 5 mm	8 x 3076	2 x 1808	4 x 924	2 x 2820	6 x 5100	4 x 1936	8 x 4088	4 x 2948		4 x 3960	8 x 5100	10 x 4088
Railkoppelstuk		4	4			4		4				
Eindklem module <b>35</b> mm	16	4	8	4	12	8	16	8	12	8	16	20
Tussenklem	16	26	24	28	24	28	24	32	30	36	32	30
M8 cilinderkop set	34	32	34	34	38	38	42	42	44	46	50	52
M10 tapbout set	38	52	52	47	47	58	50	64	56	62	62	62
5x30 VK spaanpl.schr. NO 1050 EVZ	72	84	84	90	90	96	96	108	108	120	120	120
5x60 VK spaanpl.schr. NO 1050 EVZ	128	128	128	144	144	128	128	160	192	192	192	160
<b>Kabel en koppelstukken</b>												
DC-kabel (ca 15m. per kabel)	2	2	2	2	2	2	2	4	4	4	4	4
MC4 Male kabelkoppelstuk	2	2	2	2	2	2	2	4	4	4	4	4
MC4 Female kabelkoppelstuk	2	2	2	2	2	2	2	4	4	4	4	4
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1	1	1

<b>Materiaallijst platdak</b>	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT	SUNKIT 20	SUNKIT 20	SUNKIT 20
opstelling landscape	4x3	1x14	2x7	1x15	3x5	2x8	4x4	2x9	3x6	2x10	4x5	5x4
<b>Paneel</b>												
Suntech STP 190												
Suntech STP 200	12	14	14	15	15	16	16	18	18	20	20	20
Suntech STP 210												
<b>Omvormer</b>												
Mastervolt Soladin 600												
Mastervolt XS 2000 SW												
Mastervolt XS 3200 SW	1	1	1	1	1	1	1					
Mastervolt XS 4300 SW								1	1	1	1	1
<b>Draagconstructie</b>												
Lightbox 6" cells, 54 cells, 6x9 LB 34 UNI	12	13	14	15	15	16	16	18	18	20	20	20
M8 tapbout set	50	54	58	62	62	66	66	74	74	82	82	82
Tegel dragers 100 x 100 x 10	60	65	70	75	75	80	80	90	90	100	100	100
<b>Kabel en koppelstukken</b>												
DC-kabel (ca 15m. per kabel)	2	2	2	2	2	2	2	4	4	4	4	4
DC-kabel (ca 4m. per kabel)	3		1		2	1	3	1	2		2	2
MC4 Male kabelkoppelstuk	5	2	3	2	4	3	5	5	6	4	6	6
MC4 Female kabelkoppelstuk	5	2	3	2	4	3	5	5	6	4	6	6
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1	1	1

Materiaallijst pannendak	SUNKIT 22	SUNKIT 24	SUNKIT 24	SUNKIT 24	SUNKIT 25	SUNKIT 26	SUNKIT 28	SUNKIT 28	SUNKIT 30	SUNKIT 32
opstelling portrait	2x11	2x12	3x8	4x6	5x5	2x13	2x14	4x7	2x15	4x8
<b>Paneel</b>										
Suntech STP 190										
Suntech STP 200	22	24	24	24	25	26	28	28	30	32
Suntech STP 210										
<b>Omvormer</b>										
Mastervolt Soladin 600										
Mastervolt XS 2000 SW										
Mastervolt XS 3200 SW	2	2	2	2	2	2	2	2	2	2
Mastervolt XS 4300 SW										
<b>Draagconstructie</b>										
Verduurzaamd Houten Panlat 30x90x3600	12	13	14	16	14	14	16	16	16	18
Dakhaak A, regulier	66	72	72	72	75	78	84	84	90	96
Aluminium Solarrail lengte 6200 mm	4	8	6	8		8	8	8	8	8
Op maat gezaagd -0 + 5 mm	4 x 4972		6 x 1936		10 x 5100	4 x 796	4 x 1808	8 x 924	4 x 2820	8 x 1936
Railkoppelstuk	4	4	6			8	8	8	8	8
Eindklem module <b>35</b> mm	8	8	12	16	20	8	8	16	8	16
Tussenklem	40	44	42	40	40	48	52	48	56	56
M8 cilinderkop set	50	54	56	58	62	58	62	66	66	74
M10 tapbout set	76	82	86	74	77	96	102	102	108	114
5x30 VK spaanpl.schr. NO 1050 EVZ	132	144	144	144	150	156	168	168	180	192
5x60 VK spaanpl.schr. NO 1050 EVZ	192	208	224	256	224	224	256	256	256	288
<b>Kabel en koppelstukken</b>										
DC-kabel (ca 15m. per kabel)	4	4	4	4	4	4	4	4	4	4
MC4 Male kabelkoppelstuk	4	4	4	4	4	4	4	4	4	4
MC4 Female kabelkoppelstuk	4	4	4	4	4	4	4	4	4	4
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1

Materiaallijst platdak	SUNKIT 22	SUNKIT 24	SUNKIT 24	SUNKIT 24	SUNKIT 25	SUNKIT 26	SUNKIT 28	SUNKIT 28	SUNKIT 30	SUNKIT 32
opstelling landscape	2x11	2x12	3x8	4x6	5x5	2x13	2x14	4x7	2x15	4x8
<b>Paneel</b>										
Suntech STP 190										
Suntech STP 200	22	24	24	24	25	26	28	28	30	32
Suntech STP 210										
<b>Omvormer</b>										
Mastervolt Soladin 600										
Mastervolt XS 2000 SW										
Mastervolt XS 3200 SW	2	2	2	2	2	2	2	2	2	2
Mastervolt XS 4300 SW										
<b>Draagconstructie</b>										
Lightbox 6" cells, 54 cells, 6x9 LB 34 UNI	22	24	24	24	25	26	28	28	30	32
M8 tapbout set	90	98	98	98	102	106	114	114	122	130
Tegel dragers 100 x 100 x 10	110	120	120	120	125	130	140	140	150	160
<b>Kabel en koppelstukken</b>										
DC-kabel (ca 15m. per kabel)	4	4	4	4	4	4	4	4	4	4
DC-kabel (ca 4m. per kabel)	1	1	2	2	2			2		2
MC4 Male kabelkoppelstuk	5	5	6	6	6	4	4	6	4	6
MC4 Female kabelkoppelstuk	5	5	6	6	6	4	4	6	4	6
<b>Handleiding</b>	1	1	1	1	1	1	1	1	1	1
<b>E-schema</b>	1	1	1	1	1	1	1	1	1	1